

# Factors Affecting Utilization Of Postnatal Care Service In

This is likewise one of the factors by obtaining the soft documents of this **factors affecting utilization of postnatal care service in** by online. You might not require more get older to spend to go to the books initiation as capably as search for them. In some cases, you likewise realize not discover the message factors affecting utilization of postnatal care service in that you are looking for. It will entirely squander the time.

However below, when you visit this web page, it will be fittingly extremely simple to get as with ease as download guide factors affecting utilization of postnatal care service in

It will not receive many epoch as we accustom before. You can reach it even if be in something else at house and even in your workplace. correspondingly easy! So, are you question? Just exercise just what we come up with the money for below as skillfully as evaluation **factors affecting utilization of postnatal care service in** what you once to read!

BookBub is another website that will keep you updated on free Kindle books that are currently available. Click on any book title and you'll get a synopsis and photo of the book cover as well as the date when the book will stop being free. Links to where you can download the book for free are included to make it easy to get your next free eBook.

### **Factors Affecting Utilization Of Postnatal**

found to be associated with the utilization of postnatal care services were age, marital status and the number of children. Knowledge on postnatal care influenced utilization of postnatal care

## Access Free Factors Affecting Utilization Of Postnatal Care Service In

positively. Some of the key findings of the study were that most women lacked

### **Factors affecting utilization of postnatal care services ...**

The study findings suggest that the utilization of postnatal care (PNC) services is generally higher among older women, the literate women, those who efficiently utilize antenatal care (ANC) services, and those who have a perceived high risk of a wound from their cesarean sections.

### **Factors associated with the utilization of postnatal care ...**

Postnatal care services utilization was 73.7% and 61.4% in the urban and rural settlements respectively. Multivariate analysis identified antenatal attendance, large baby, poorest wealth quintile, transportation problems to the health facilities, and maternal age as predictors of postnatal care services utilization in the urban settings.

### **Factors Affecting the Utilization of Postnatal Care ...**

Approximately 30-40% of direct maternal deaths in Africa are due to hemorrhage, mostly in the postpartum period both in the hospital and in the community levels. In sub Saharan Africa only 13 % of the mothers attend postnatal care .Adequate

### **(PDF) FACTORS AFFECTING UTILIZATION OF POSTNATAL CARE ...**

Conclusion: proportion of postnatal care service was very small. Educational status, women's autonomy, number of pregnancy, place of delivery and knowledge of postpartum obstetric danger sign were...

### **(PDF) Factors Affecting Utilization of Postnatal Care ...**

Educational status, women's autonomy, number of pregnancy, place of delivery and knowledge of postpartum obstetric danger sign were the factors making a difference in utilizing post natal care

## Access Free Factors Affecting Utilization Of Postnatal Care Service In

service. Thus, strengthening the provision of information, education and communication (IEC) was recommended.

### **Factors Affecting Utilization of Postnatal Care Service in ...**

Evidence showed that PNC services utilization is influenced by factors such as; maternal age, educational level of the women, occupational status of women and husbands, place of delivery, mode of delivery, the number of pregnancies, awareness about obstetric related danger sign, and awareness about PNC services [7-21].

### **Postnatal care utilization and associated factors among ...**

Multivariate analysis showed that mother's age at delivery, residence, education, antenatal care, place of delivery, wealth, husband's occupation, husband's concern about pregnancy complications and mother's permission to go to a health centre alone were likely to affect utilisation of postpartum care services.

### **Factors affecting the utilisation of postpartum care among ...**

be significantly associated with postnatal care service utilization. Conclusion: Place of residence, place of delivery, educational status and occupational status were found to be determinants of postnatal care service utilization. Keywords: Postnatal care utilization; Determinants; Loma district; Ethiopia

### **Utilization of Postnatal Care and its Determinants**

While factors such as wealth quintile, media exposure and rural/urban residence were commonly adjudged as significant, education of the adolescent mother and her partner were the commonest significant factors that influenced MHS utilisation. Use of antenatal care also predicted use of skilled birth attendance and use of both predicted use of postnatal care.

# Access Free Factors Affecting Utilization Of Postnatal Care Service In

## **Factors influencing utilisation of maternal health ...**

Researches indicate that PNC services utilization is affected by several factors including maternal age, educational level of the women, occupational status of women and husbands, place of delivery, mode of delivery, number of pregnancies, awareness about obstetric related danger sign, and awareness about PNC services [ 10, 12 - 14

## **Postnatal Care Service Utilization and Associated Factors ...**

The significant factors that were found to influence utilisation of postnatal services in Kitagata hospital include: awareness of postnatal services; long distance to the health facility, long time for waiting at health facility, attitude of health workers, transport cost among others. 5.7 Nursing Implications 5.7.0 To Nurses in Practice To increase the utilization of PNC services, nurses need to change their attitudes towards mothers and should always attend to mothers in time to avoid ...

## **Factors affecting the utilisation of postnatal services ...**

Several studies conducted in different countries on demographic and socio-cultural factors influencing use of maternal health care services, have shown that factors like maternal age, number of living children, education, place of residence, occupation, religion and ethnicity are significantly associated with use of antenatal care.

## **Factors affecting the utilization of antenatal care among ...**

The expansion of primary health care services in Ethiopia made basic health services available and accessible. The Last Ten Kilometers (L10K) project has strengthened the primary health care system through implementing innovative strategies to engage local communities to improve maternal and newborn health care behavior and practices in Amhara, Oromia, Southern Nations, Nationalities and ...

## **Determinants of postnatal care utilization in Ethiopia: a ...**

Corpus ID: 27306725. Factors affecting utilization of postnatal care service in Jabitena district, Amhara region, Ethiopia @inproceedings{Workineh2014FactorsAU, title={Factors affecting utilization of postnatal care service in Jabitena district, Amhara region, Ethiopia}, author={Yinager Workineh and Desta Hailu}, year={2014} }

## **Factors affecting utilization of postnatal care service in ...**

services, factors affecting the utilization of postnatal care services and drawing recommendations on the basis of the analysis of some data on utilization of

## **(PDF) An Analysis of Utilization of Postnatal Care ...**

Its was found that most women lacked awareness about the services given in postnatal clinic and long waiting time and cultural beliefs were among factors that affected utilization of postnatal care. From the study the utilization of the postnatal services at the hospital in 14.2% which is quite low considering the need for postnatal services.

## **FACTORS AFFECTING UTILIZATION OF POSTNATAL CARE SERVICES ...**

Background: The aim of this meta-analysis was to investigate the prenatal, perinatal, and postnatal risk factors for children autism. Methods: PubMed, Embase, Web of Science were used to search for studies that examined the prenatal, perinatal, and postnatal risk factors for children autism. A fixed-effects model or random-effects model was used to pool the overall effect estimates.

## **Prenatal, perinatal, and postnatal factors associated with ...**

The findings suggest low utilization of full antenatal and postnatal services are related to personal health and economic factors, and indicates the need for increase awareness campaign on the

## Access Free Factors Affecting Utilization Of Postnatal Care Service In

benefits of these services to improve uptake. Keywords: Young mothers, Antenatal care, Postnatal care, Service utilization

Copyright code: d41d8cd98f00b204e9800998ecf8427e.